

Pants Decomposition of the Punctured Plane

Sheung-Hung Poon*

Shripad Thite*

Abstract

A *pants decomposition* of an orientable surface Σ is a collection of simple cycles that partition Σ into *pants*, i.e., surfaces of genus zero with three boundary cycles. Given a set P of n points in the plane \mathbb{E}^2 , we consider the problem of computing a pants decomposition of $\Sigma = \mathbb{E}^2 \setminus P$ of minimum total length. We give a polynomial-time approximation scheme using Mitchell's guillotine rectilinear subdivisions. We give an $O(n^4)$ -time algorithm to compute the shortest pants decomposition of Σ when the cycles are restricted to be axis-aligned boxes, and an $O(n^2)$ -time algorithm when all the points lie on a line; both exact algorithms use dynamic programming with Yao's speedup.

1 Introduction

Surfaces (2-manifolds), such as spheres, cylinders, tori, and more, are commonly encountered topological spaces in applications like computer graphics and geometric modeling. To understand the topology of the surface or to compute various properties of the surface, it is useful to *decompose* the surface into simple parts. Among the possible ways to decompose a given surface, it is desirable to compute an *optimum* decomposition, one that minimizes a metric depending on the application.

A decomposition of an orientable surface Σ that has been studied is a *pants decomposition* [3, 2], a collection of disjoint cycles that partition Σ into *pants*, where a *pant*¹ is a surface of genus zero with three boundary cycles. Every compact orientable surface—except the sphere, disk, cylinder, and torus—admits a pants decomposition [2].

A natural measure of a pants decomposition to minimize is the total length of its boundary cycles. The *length* of a pants decomposition Π of Σ , denoted by $|\Pi|$, is the sum of the (Euclidean) lengths of all the cycles in Π . (If a subsegment is traversed more than once, its length is counted with multiplicity.) A *non-crossing pants decomposition* is a pants decomposition that allows any two cycles to touch as long

as they do not cross transversely. A *shortest* pants decomposition is a non-crossing pants decomposition of minimum length.

The problem of computing a shortest pants decomposition of an arbitrary surface Σ is open. In this paper, we study a variant of the problem where Σ is the *punctured plane*, i.e., $\Sigma = \mathbb{E}^2 \setminus P$ where P is a discrete set of n points. Figure 1(i) gives an example pants decomposition of the plane with 6 punctures. Colin de Verdière and Lazarus [2] studied a related problem: given a pants decomposition of an arbitrary surface, they compute a *homotopic* pants decomposition in which each cycle is a shortest cycle in its homotopy class.




Figure 1: (i) A pants decomposition of the plane punctured by a set of 6 points, and (ii) the corresponding binary tree.

A cycle C on Σ is *essential* if it does not bound a disk or an annulus. A pants decomposition, also called a *maximal cut system* [3], is naturally obtained by the following greedy procedure. Let C be an essential cycle. Cut Σ along C to get a surface Σ' with two additional boundary cycles C_1 and C_2 corresponding to the two sides of the cut. The cycles C_1 and C_2 , together with the set of cycles obtained by recursing on Σ' , is a pants decomposition Π of Σ . The resulting cycle structure can be modeled as a binary tree with n leaves (Figure 1(ii)). Each cycle C of Π is essential because it encloses two other cycles, say C_1 and C_2 ; we write $C_1 \prec C$ and $C_2 \prec C$ to indicate that C encloses C_1 and C_2 . We say that two cycles C_1 and C_2 are *independent* if neither $C_1 \prec C_2$ nor $C_2 \prec C_1$. The final result is a pants decomposition of a bounded subset of the plane together with a single unbounded

*Dept. of Math and Computer Sci., Technische Universiteit Eindhoven, The Netherlands; {spoon,sthite}@win.tue.nl. S.-H.P. and S.T. were supported by the Netherlands' Organisation for Scientific Research (NWO) under project numbers 612.065.307 and 639.023.301 respectively.

¹We call a surface of genus zero with three boundary components a *pant* instead of a *pair of pants* [2]. We refer to two pants instead of two pairs of pants; the latter phrase can be misunderstood to mean four such surfaces.

component.

In this paper, we give a simple algorithm with approximation ratio $O(\log n)$, and a polynomial-time approximation scheme (PTAS) using Mitchell's guillotine rectilinear subdivisions. We compute the shortest pants decomposition in $O(n^4)$ time when the cycles are restricted to be axis-aligned boxes, and in $O(n^2)$ time when all the points lie on a line; both exact algorithms use dynamic programming with Yao's speedup, and are faster by a linear factor than the 'naïve' dynamic programming formulations.

2 A simple approximation algorithm

If Π^* is a shortest pants decomposition of the punctured plane $\Sigma = \mathbb{E}^2 \setminus P$, then every cycle in Π is a simple polygon whose vertices belong to P . We argue next that Π^* contains a traveling salesperson (TSP) tour of the points. Choose any vertex on the outermost cycle as the start of the tour. Traverse the outermost cycle counterclockwise. The first time we visit a vertex u that also belongs to an inner cycle (one of the two legs of the pant) that has not been traversed yet, we recursively construct a tour beginning and ending at u that traverses the unvisited vertices on or in the interior of this inner cycle. After the recursion, we continue along the outermost cycle, repeating the recursive traversal of the second leg of the pant, until we reach our original starting point. Hence, Π^* must be at least as long as a shortest Euclidean TSP tour T^* of the points. Hence, $|\Pi^*| \geq |T^*|$.

We convert a TSP tour T of the points in P to a pants decomposition Π as follows. Initially, Π is the empty set. Order the points from 0 through $n - 1$ in the order along the tour T . Let $C(i, j)$ denote the polygon with vertices $i, i + 1, i + 2, \dots, j - 2, j - 1, j, j - 1, j - 2, \dots, i + 2, i + 1, i$ in order, where the indices are taken modulo n . Imagine cycles of zero length around each point. Repeatedly introduce a new cycle into Π' that is obtained by merging the two cycles adjacent along the tour enclosing the fewest number of points. Each cycle $C(i, j)$ is obtained by merging two cycles $C(i, k)$ and $C(k + 1, j)$ by doubling the edge between vertices k and $k + 1$. We ensure that each edge in the tour T appears exactly twice in at most $\lceil \log n \rceil$ cycles in the pants decomposition Π . Hence, $|\Pi| \leq 2 \lceil \log n \rceil |T|$.

It is well-known [7] how to obtain a $3/2$ -approximate shortest Euclidean TSP of the point set using Christofides' algorithm in $O(n^3)$ time; the minimum spanning tree of the n points can be used to obtain a 2-approximation in $O(n \log n)$ time. An approximate TSP tour obtained by either of these algorithms gives us a non-crossing pants decomposition of length $O(\log n)$ times the optimum.

3 PTAS

Let $\varepsilon > 0$ be an arbitrary constant. To construct in polynomial time a $(1 + \varepsilon)$ -approximation to the shortest non-crossing pants decomposition, we modify the PTAS for Euclidean TSP tour due to Mitchell [5, 6]. Our algorithm is more complicated because a pants decomposition consists of $\Theta(n)$ cycles instead of just one cycle as in a TSP tour. The PTAS is a dynamic programming algorithm where each subproblem is a rectangular region of the plane and two adjacent subproblems interact only through $O(1)$ grid points or *portals*.

Let $m \geq 2$ be an integer and let $M = m(m - 1)$. Let B denote the axis-aligned bounding box of the point set P . Imagine a shortest pants decomposition Π^* . Mitchell [6] has shown that there exists a *favorable cut*, i.e., a horizontal or vertical line l , which partitions B into two smaller boxes that can be recursively subdivided using favorable cuts. The recursion stops when a box is empty of points of P . Just like Mitchell, we introduce a segment of l , called a *bridge*, and $O(M)$ grid points on l . Mitchell has shown that the total length of the additional subsegments is at most $\frac{\sqrt{2}}{m}$ times the length of Π^* .

Let R , a rectangle, be the boundary of an arbitrary box Q during the recursive subdivision. Intuitively, we can "bend" the cycles of Π^* to make each cycle that crosses R transversely do so only at one of the portals (grid points) and possibly use subsegments of the bridges on the four sides of R , without increasing the length of the pants decomposition by too much.

To construct a short pants decomposition Π , our PTAS solves subproblems of the following form. We are given a rectangle R whose sides are defined by two horizontal and two vertical favorable cuts. We are given two integers n_i and n_t , both in the range from 0 through $n - 1$, of the number of cycles of Π that are inside R and that intersect R transversely, respectively. Each of the n_i cycles inside R intersects R tangentially and an even number of times, and each of the n_t cycles intersects R transversely and an odd number of times. Let $n_R = n_i + n_t$. We are given the pattern in which the n_R cycles intersect R at the $O(M)$ grid points on the sides of R . There are $O(n^{O(M)})$ possible ways for the n_R cycles to intersect the sides of R .

It remains to account for the fact that cycles in Π that intersect R tangentially can traverse subsegments of the cuts bounding R . We observe that every point in the plane lies on at most two independent cycles of Π . Let p be an arbitrary point in the plane. Let C_p denote the subset of cycles in Π that pass through p . If $|C_p| > 2$, then there exist three cycles C_1, C_2 , and C_3 in C_p such that both C_1 and C_2 are inside C_3 . Let C be an outermost (minimum depth) cycle that traverses a subsegment ab of some cut. Each subsegment is shared by at most two independent cycles.

Therefore, we count the length of ab at most twice when counting the total length of all subsegments of cuts traversed.

The dynamic programming algorithm proceeds as follows. For a rectangle R intersected by $n_R = n_i + n_t$ cycles, we try each of the $O(n)$ favorable cuts that partition R into two smaller rectangles, A and B . We try each of the $O(n_R^{O(M)})$ possible ways that the n_R cycles can intersect the cut transversely, making sure that the pattern in which the cycles intersects the cut is consistent with the pattern in which they intersect R . Some of the n_i cycles that belong inside R may belong inside A and some others inside B ; we try the $O(n_i)$ possible ways to allocate a subset of the n_i cycles to A and the remaining to B . We optimize over the $O(n)$ cuts and $O(n^{O(M)})$ intersection patterns to solve the subproblem R optimally. In the base case, if R has no points of P in its interior, then the subproblem has only $O(M)$ size, which is a constant, and is solved by brute force. Since there are $O(n^{O(M)})$ different subproblems and each subproblem takes $O(n^{O(M)})$ time, the total running time is $O(n^{O(M)})$.

The length of the pants decomposition Π obtained by the dynamic programming algorithm is $O\left(1 + \frac{2\sqrt{2}}{m}\right)$ times that of a shortest pants decomposition. To obtain the desired approximation factor, we choose $m \geq 2\sqrt{2}/\varepsilon$.

To reiterate, the major differences between our PTAS and that of Mitchell [5] are the following. (i) Each of our $n - 1$ cycles crosses transversely the boundary of a rectangular subproblem in one of $O(M)$ different ways. Therefore, we have $O(n^{O(M)})$ times as many subproblems to solve as in the TSP. (ii) Each of the $O(M)$ grid points on the boundary of a rectangular subproblem may lie on any of the $n - 1$ cycles in a pants decomposition. Therefore, the additional information associated with each subproblem is more than of constant size; the amount of information associated with each subproblem is $O(n^{O(M)})$. However, the total running time is still polynomial in n .

4 Points on a line

Let P be a set of points on a line, without loss of generality on the x -axis. Order the n points from left to right. Let x_i denote the x -coordinate of the i th point. For every $1 \leq i \leq j \leq n$, let (i, j) denote the $j - i + 1$ consecutive points numbered from i through j .

We prove next that a shortest non-crossing pants decomposition of $\Sigma = \mathbb{E}^2 \setminus P$ must consist of convex cycles only. Hence, if Π^* is a shortest non-crossing pants decomposition of Σ , then there exists a k in the range $1 \leq k < n$ such that Π^* consists of a shortest pants decomposition of (i, k) and a shortest pants decomposition of $(k + 1, n)$ together with an outermost cycle of length $2(x_n - x_1)$ enclosing all n points.

Suppose to the contrary that there is a cycle C in Π^* that contains a non-contiguous subset of points in P . Without loss of generality, we assume that C is a minimal one in the sense that both its legs, C_1 and C_2 , contains contiguous subsets of points. Without loss of generality, assume C_1 is to the left of C_2 ; thus, C_1 is the *left leg* and C_2 is the *right leg* of C .

Let $X \subseteq P$ be the set of all points between C_1 and C_2 . Let $x \in X$ be arbitrary. Let $\mathcal{D}_x = \{D_1, D_2, D_3, \dots, D_i, \dots\}$ be the set of cycles in Π^* containing x such that D_{i+1} contains D_i . Let i be the smallest index such that D_i contains some point of $P \setminus X$. There are two cases to consider: (i) D_i contains C , (ii) D_i does not contain C .

If D_i contains C , then we construct another cycle E enclosing C_1 and D_{i-1} making E the left leg of C (instead of C_1). Delete D_i .

Otherwise, if D_i does not contain C , then either (a) D_i contains points only to the left of C_2 or (b) D_i contains points only to the right of C_1 . In the former case, D_{i-1} is the *right leg* of D_i . We swap C_1 and D_{i-1} so that C_1 is the new right leg of D_i and D_{i-1} is the new left leg of C . In the latter case, D_{i-1} is the *left leg* of D_i . We swap C_2 and D_{i-1} so that C_2 is the new left leg of D_i and D_{i-1} is the new right leg of C .

In either case, we obtain a pants decomposition with total length smaller than Π^* , which is a contradiction.

Let $c(i, j)$ denote the cost of a shortest pants decomposition of (i, j) . We have just proved that $c(i, j)$ satisfies the following recurrence for every $1 \leq i \leq j \leq n$:

$$c(i, j) = 2(x_j - x_i) + \min_{i \leq k < j} (c(i, k) + c(k + 1, j)) \quad (1)$$

where $c(i, i) = 0$. A shortest pants decomposition of (i, j) can be computed by choosing the appropriate value of k in the range $i \leq k < j$, computing the optimum pants decompositions of (i, k) and $(k + 1, j)$, and introducing a non-crossing cycle of length $2(x_j - x_i)$ enclosing the points (i, j) . The straightforward dynamic programming algorithm computes $c(1, n)$ in $O(n^3)$ time.

We show how the running time of the dynamic programming algorithm can be improved by a linear factor using Yao's speedup [9]. Let $w(i, j) = x_j - x_i$. The function $w()$ is *monotone*, i.e., $w(i, j) \leq w(k, l)$ whenever $(i, j) \subseteq (k, l)$, and satisfies the following *concave quadrangle inequality* [9]:

$$\forall i \leq i' \leq j \leq j' : w(i, j) + w(i', j') \leq w(i', j) + w(i, j')$$

In fact, the above equation is satisfied with equality because $w(i, j) + w(i', j') = (x_j - x_i) + (x_{j'} - x_{i'}) = w(i', j) + w(i, j')$. Let $c_k(i, j)$ denote $w(i, j) + c(i, k) + c(k + 1, j)$. Let $K(i, j)$ denote the maximum k for which $c(i, j) = c_k(i, j)$. The following claims are almost identical to those in the context of optimum binary search trees proved by Mehlhorn [4, 8]:

1. The function $c(i, j)$ also satisfies the concave quadrangle inequality, i.e.,

$$\forall i \leq i' \leq j \leq j' : c(i, j) + c(i', j') \leq c(i', j) + c(i, j')$$

2. $K(i, j - 1) \leq K(i, j) \leq K(i + 1, j)$

We compute $c(i, j)$ by diagonals, in order of increasing value of $j - i$. For each fixed difference d , we compute $c(i, j)$ where $j = i + d$; we compute $c_k(i, j)$ for k in the range $K(i, j - 1) \leq k \leq K(i + 1, j)$. The cost of computing all entries on the d th diagonal is

$$\begin{aligned} & \sum_{i=1}^{n-d} K(i + 1, j) - K(i, j - 1) + 1 \\ &= K(n - d + 1, n + 1) - K(1, d) + n - d \\ &\leq (n + 1) - 1 + n - d \\ &< 2n \end{aligned}$$

Since d ranges from 0 through $n - 1$, the total running time is $O(n^2)$.

5 Box decomposition

A *box decomposition* of Σ is a pants decomposition Π in which each cycle in Π is an axis-aligned rectangle. Observe that any two axis-aligned rectangles can be separated from each other by either a horizontal or a vertical line.

Let x_1 through x_n denote the x -coordinates of the n points in increasing order, and let y_1 through y_n denote the y -coordinates of the n points in increasing order. Let $h(i, j) = 2(x_j - x_i)$ and let $v(i, j) = 2(y_j - y_i)$. Let $w(i_1, i_2, j_1, j_2) = h(i_1, i_2) + v(j_1, j_2)$; then, $w(i_1, i_2, j_1, j_2)$ is the perimeter of the axis-aligned box whose sides have x -coordinates x_{i_1} and x_{i_2} and y -coordinates y_{j_1} and y_{j_2} . The function $w()$ is *monotone* and satisfies the *concave quadrangle inequality*.

The rest of the proof is similar to the case for points on a line. Let $c(i_1, i_2, j_1, j_2)$ denote the cost of a shortest pants decomposition of the points in the box $[x_{i_1}, x_{i_2}] \times [y_{j_1}, y_{j_2}]$. The cost $c(i_1, i_2, j_1, j_2)$ obeys a recurrence that is a two-dimensional generalization of Equation 1. Similar to the dynamic programming algorithm for points on a line, we compute $c(i_1, i_2, j_1, j_2)$ by diagonals, in order of increasing value of $\max\{i_2 - i_1, j_2 - j_1 - 1\}$. For each pair of differences d_1 and d_2 , we compute $c(i_1, i_2, j_1, j_2)$ where $i_2 = i_1 + d_1$ and $j_2 = j_1 + d_2$. The cost of computing all entries on the diagonals defined by (d_1, d_2) is $O(n^2)$; since there are $O(n^2)$ such pairs (d_1, d_2) , the total running time is $O(n^4)$.

6 Work in progress

We mention some very interesting open questions that we are currently investigating.

Is it NP-hard to determine, for an arbitrary L , whether there exists a non-crossing pants decomposition of the punctured plane of length at most L ? Is there a simple algorithm to compute an $O(1)$ -approximate shortest pants decomposition?

Are the cycles in a shortest (non-crossing) pants decomposition always convex? If not, how much longer than optimum is a convex pants decomposition?

How efficiently can we compute a shortest pants decomposition of the plane with different types of punctures, e.g., rectangular holes instead of points?

How efficiently can we compute a shortest pants decomposition of other 2-manifolds, such as the torus minus a set of points?

Acknowledgments

We thank members of the Algoritmiëk group at TU/e, especially Mark de Berg, for fruitful discussions. Shripad Thite thanks the organizers and participants of the Meeting on Optimization Problems in Computational Topology at ENS, Paris, in November 2005, especially Éric Colin de Verdière and Jeff Erickson.

References

- [1] S. Arora. Polynomial Time Approximation Schemes for Euclidean Traveling Salesman and Other Geometric Problems. J. ACM, 45(5):753–782, 1998.
- [2] É. Colin de Verdière, F. Lazarus. Optimal Pants Decompositions and Shortest Homotopic Cycles on an Orientable Surface. Proc. Graph Drawing, pp. 478–490, 2003. Preliminary version at EuroCG'03.
- [3] A. Hatcher. Pants Decompositions of Surfaces. arXiv:math.GT/9906084; <http://arxiv.org/abs/math.GT/9906084>
- [4] K. Mehlhorn. *Data Structures and Algorithms 1: Sorting and Searching*. EATCS Monographs on Theoret. Comput. Sci., Springer-Verlag, 1984.
- [5] J. S. B. Mitchell. Guillotine Subdivisions Approximate Polygonal Subdivisions: A Simple Polynomial-Time Approximation Scheme for Geometric TSP, k -MST, and Related Problems. SIAM J. Computing, 28(4):1298–1309, 1999.
- [6] J. S. B. Mitchell. Approximation Algorithms for Geometric Optimization Problems. Proc. Canadian Conf. Comput. Geom., pp. 229–232, 1997.
- [7] C. H. Papadimitriou, K. Steiglitz. *Combinatorial Optimization: Algorithms and Complexity*. Prentice Hall, 1982.
- [8] S. Thite. Optimum Binary Search Trees on the Hierarchical Memory Model. M.S. thesis, Computer Sci., U. Illinois at Urbana-Champaign, CSL Tech. Rep. UILU-ENG-00-2215 ACT-142, 2000.
- [9] F. F. Yao. Speed-up in Dynamic Programming. SIAM J. Algebraic Discrete Methods, 3(4):532–540, 1982.